		Recei	ving Rep	ort		
	Date: <u>[3/8]</u> Supplier: <u>17/4/6</u>	28 Str		h No: <u>/// /</u> P/O: <i>Ć</i>	26726	>
Packing Slip: Invoice: Receipt: Discrepancies	YesNo YesNo Cash Cr	W S	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	Attached: Yeste Ye	es No	レ
Part Number	Description	antity	Quantity Received	Quantity Returned	Quantity Short	Comments
		:				
111						
	110		·			
	, .	Initials	of receiver (if shipment	OK) Level 1	2
Production/Ad Date Received/Cos Initial	13/8/21				Locatio	n

Purchase Order Receipt Listing

Wednesday, August 28, 2013 8:21;23 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO21071 Receipt Dates from 8/28/2013 to 8/28/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$247.27		\$80.96			\$124.61		168.0000	0.0000	0.0000	\$452.83	0.0000
Inspected Qty/ MRB Qty/ Rejected Qty MRB Reject (PO U/M) Qty	0 00000	0.0000	0 0000	0.0000		0.0000	0.0000	Total Received Quantity:	Total Qty to Inspect (PO U/M):	Total Reject Quantity:	Total Receipt Value:	Total Balance Due Quantity:
Cost Per Unit/ Inspec Recv Value Rejec (P	. \$6.87	\$247.27	\$0.75	. •		\$5.19	\$124.61	Total Re	Total Qty to I	Total	Tots	Total Balan
Recv (Qty (PO U/M)	36.0000		108.0000			24.0000						
Recv Date/ Recv Emp	8/29/2013 8/28/2013	DESJ02	8/28/2013			8/28/2013	DES102					
Required Date Required Qty	8/29/2013	36.0000	8/29/2013	108.0000		8/29/2013	24.0000					
on/ Stock U/M	OP001 Thyssenkrupp Materials CA Ltd M6061T6B1.500X02. f 000	6061-T6 Bar 1.50 x f 2.00	R0.625 f	cound Bar f		000 f	bar 1.00 f					
ne Project ID Reference/ or/ Description/ sp Cert Std q	VC-CO		m126726 M6061T6R0.625		m126726	M304R1.000	304 round bar 1.00					
Purchase Line Order ID/ Nbr/ Curr Type Insp Req	/endorID\Vendor Name PO21071 1	CAD No	2	N _o		φ.	N _o					

BILL, OF LADING No: VIM 407700 Ship From: Ship Date 28Auq13 at 11:11 From VFW THYSSENKRUPP MATERIAUX NA Probill Via 4700 BOIS FRANC VIM TRUCKING ST. LAURENT, QC H4S 1A7 FOB CONCORD Frt Tel: 514-337-0161 Fax: 514-745-2968 PREPAID Route 0- 0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350) Ship To: DART AEROSPACE Sold To: (20115) DART AEROSPACE /1270 ABERDEEN ST 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7 Tel: 613-632-9577 Fax: 613-632-1053 HAWKESBURY, ON K6A 1K7

BILL OF LADING 1) Our/Order PEC-599805- 1 Your PO # 21071 ALUMINUM FLAT BAR 6061-T6511 1.50 x 2.00 X 144.0000" Tag No 154108 Quantity PCS 36 FT 3 Heat Number Wt LBS 2) Our Order PEC-599805- 2 Your PO # 21071 ALUMINUM ROUND BAR 6061-T6511 .625" DIA X 144.0000" Tag No 151290 Quantity 108 FT -Heat Number PCS Wt LBS 21400081 3) Our Order PEC-599805- 3 Your PO # 21071 STAINLESS STEEL ROUND BAR 304L 1.00" DIA X 144.0000" Heat Number Tag No Quantity PCS Wt LBS BDLE#1 153315 24 FT H1M9 Tags PCS LBS TOTAL: 3 14 231 *** Chemical Analysis *** Heat Number 21400081

TOTAL 1 BDLE 231 LBS

H1M9

Page: 1 Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

F DATE

1013/1/28

BILL OF L Ship From: THYSSENKRUPP MATERIAUX NA 4700 BOIS FRANC ST. LAURENT, QC H4S 1A7 Tel: 514-337-0161 Fax: 514-745-2968

LADING No: VIM 407700 Ship Date 28Aug13 at 11:11 From VFW Probill Via VIM TRUCKING FOB CONCORD/ PREPAID Frt Route 0- 0 Manifest Vhcle Trailer Slp STAN IVERS (905-532-1350) Sold To: (20115) DART AEROSPACE

Ship To: (1 DART AEROSPACE

BILL OF LADING
MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

THYSSENKRUPP MATERIAUX NA EFFECTUERONT LEUR INVENTAIRE JEUDI & VENDREDI, LE 12 & 13 SEPT/2013 AUCUNE LIVRAISON NI RECEPTION NE SERA FAITE PENDANT CES JOURS.LE BUREAU DES VENTES SERA OUVERT THYSSENKRUPP MATERIALS NA WILL BE CONDUCTING THEIR INVENTORY SEPT 12/13, 2013. NO SHIPMENTS/RECEIVING WILL BE DONE. THE SALES OFFICE WILL REMAIN OPEN. ***UNE SURCHARGE D'ENERGIE DE \$25.00 SERA AJOUTEE A CHAQUE COMMANDE. * * * ***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE ADDED TO EVERY ORDER. *** *** POUR VOS BESOINS D'ACIER INOXYDABLE, *CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600* *** FOR ALL YOUR STAINLESS STEEL NEEDS, CALL US. *** WE HAVE IT! *** TEL. 800-926-2600 ***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

DATE

du rapport tourni par le

TEST ASTM B221-12

BILL TO

THYSSENKRUPP MATERIALS, NA SO DESCRIPTION THYSSENKRUPP MATERIALS, NA 1.5"x2" FB

CUSTOMER PART NUMBER 1-1500-2000

> PART DESCRIPTION 6061

VIM-621100

70	3		1
aroy.	0	DIE NUMBER	The state of the state of the
26	1050	; ;;;	
SALESMAN	7)1	DATE OF SHIPMENT	A.
	7/18/2013	ENT,	

T6511 HOUSE ACCOUNTS

EXTRUDEX ORDER NO. MANIFEST NO.

411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA/L4L8N4

http://www.extrudex.com

TEL: (416)745-4444 FAX:(416)745-0925 1-800-668-7210.

159251 - 7

291360

MADE IN CANADA

MILL TEST ASTM B221-12

A.11	Chemical Composi	A.11	Lot	Mechanica
Cast Number 21225 6061	Composition			l Properties
6061		6061	Alloy	
0.58 Si			٠.	
Si Fe 0.58 0.184				
0.184 0.083			٠	,
083 0.82		Jul/17/13	Test Date	
0.045	}	13		. '
0.00	.	47	Ultimate Tensile Strength (KSI)	
0.00 0.011 0.025	7	47.3	Tensil h (KSI)	
0.025	1		Yiel	
0.00	3	43.7	(KSI)	
0.00	<			
0.00		14.80	Percent Elongation	
00.0		40		
₽ 6. 1 9 €	D	91.6, 92.0, 91.2	Harro	
90 K		2.0, 91.	Hardness	
- 6 K		2		
00.	ř D	101	IC.	
0.00 0.00 Remainder 0.00	n Al Other		Conductivity	

specifications. We certify that the following extrusions have been quality inspected/tested and conforms to required dimensional and temper

J 13/09/01

David Natale

Quality Control Manager

- CUSTOMER COPY

Doc No. 163706 Indexed 25Juli3 by vslssup4

MILL TEST ASTM B221-12



新田 おおいま

J. DART AEROSPACE HE THYSSENKRUPPMANDRIMESWALLES FOR U.E.C. MESSALLES ALUMINGWERGUND BAR 6061-T6511 625 DIA X 144 00004 SAME AND AND STREET OF THE SAME OF THE SAM THE PROPERTY CONTRACTOR OF THE PERSONS ASSESSED.

DIA. hat confict of the confiction of the confic 22. A. Tune copie conforme du rapport fourni par le

SIGNE PAR

TATE OF THE PARTY OF

- Certificate of Mill Test Results BL VIM-407700-0022 28Aug1384 370

The House of the State of the S

ARRIVATION OF STATES

SASTANCY STANCES

53 POLISVILLE STREET CRESSONA, PA Supa Industrial Extragions

Invoice To Customer Sapa Extrusions Inc., a Subsidiary of Sapa AB

17929-0187

4700 BOIS FRANC THYSSENKRUIT MATERIALS NA INC

Ship To Customer 4700 HOLS FRANC THYSSENKRUPP MATERIALS NA INC ST LAURENT, - 114S 1A7

ST LAURENT, QC - 114S 1A7

Certified Inspection Report

1100598703 Sales Order Number Linz Yo. 5 VIM-619979-016

06-MAY-13 SAPA760314 Cert Creation Date 06-MAY-13 Cert Print Date

CustomerPart No 4472725 Delivery Id 425681 M. 3056 Quantity Shipper LB Date Shipped 06-MAY-13 Item No. Rev G03967433 Item No. W/F 361 F 5 CS .63 6061/T6511H Marking CONTINUOUS: 144.000 IN LN SECT 555316 Extreded ACC-1:-ROD 0.625 DIA +/- 003 Rem Description
ACC-U-LINE

Meets 6061-T6511H, 6061-T6511 REV ASMESB221 REV 09 ASTMB221 REV 12A AMS-QQ-A 2008 RHV 1997 INS#A96061 REV

625ER+

applicable Specifications, Revisions and Exceptions

COMPOSITION NOTE: The values for Othors Each and Others Total have met the limits as shown on his certified inspection report. Remainder is Aluminum.

egal Statement

se reproduced in partial form without paior whitten approval of our Quality Assurance Dept. We hereby certify that, un'ess otherwise indicated, the material covered by this report has been manufactured, inspected, and recifications forming a part of the description and that samples representative of the material met the composition and had the sted in arcordance with, and has been found to meet, the applicable requirements described herein, including any uminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to chanical properties shown on the face of this certification. Also, note that mercury is not a normal

Signature And Tale

William T' William Martin III

06-MAY-13

Tech/Quality Manager

(i12-PKG1939668	G12-PKG1939655	G12-PKG1939605	G12-PKG1939603 G12-PKG1939604	Package Number	Quantities per Let / Puckages
21400081	21400081	2140081	21400081	Lot Number	The state of the s
1:7 PCS	117 PCS	117 PG	117 PCS	WOR Aguend	
516 510	515 509	515 509 509	515 509	Weight	

THE PAY SEE SEE SEE SEE STATE

HEATHYSSENIGRUPP MATERIAESNAIN IN 1812 OF 11 THE ST DART AEROSPACE

and the second second

ALUMINUM ROUND BAR 60619765112 www. ALLINGRUM ROOMS commons on reproduction of the Common of the Com

Certificate of Will Test Results

25. 7—BLVIM-407700-002-5-73.8. 28Augglosses 510

1.31.1 Rg(2)2na4m+3sa

on foundation is

William William Market State S

ことを 養然でなる

Sapa Industrial Extrasions
53 POTTSVILLE STREET CRHSSONA, PA

17929-0187

Certified Inspection Report

1100598703 Line No. 5 V!M-619979-016

06-MAV-13	Cert Creation Date	Cerl Number SAPA760314
OK MAY 19	Earl Print Date	Page 2 of 2
		13.13

į	ļ] 		300	:
: 0.15	Max	1	0.80	M.	. 2
!	. Mg				
0.05	Мых	-	0.70	Max	
1	МIn		0.15	Min	
20.03	Max	**************************************	0.40	Max 🔆	<u>'</u>
	Min	Others)	. 1	Min SSSSS	200 S. C.
0.05	Мех	Each	0.15	Max	: 質
-	airk	Other	0.80	Min	
0.15	Мах	Total	1.20	M	
Ω.			0.04		 Vivi Medi
X)		0.35	Мах	Cr Cr
13/6	0		1	Min	2
10/01	,		0.25	Min	. 1

Campasition Resplts

Allay 1909

0.40

		2002	Hoat
		. 260	C
		0.71	
		0.38	F
	-	0.30	2 (c)
		0.07	Ma
		0.91	10 M
		0.05	င္
		0.06	Zo
		0.02	n ::::::::::::::::::::::::::::::::::::
•	•••		写
- !		1	3
		1 000	Others Kaclı
	1		Others Total

Mechanical Property - Test Limits

	5.2		there goe	
;;	100	2.	ante as	4500
S511H	7		- 12	
=	9	 	Cent.	
<u> </u>	3 . 000	iri i irid		10.17
	,	* i1 5-9	٠.	
140	5 P	•	2.15	
8	, and		3466	1.5
	4	ari ila m	2	
	16.	27 22	101	. Y.L.
•			71.	
φ	100		٠,	-
	2	9	<u></u>	
		es.	0.34	1
	67 62 64 62 64 62			•
A.	1	ĺ		
43.5	112			
	N Value			d
		미	KSI	UTS-1
9	0 44 C		_	Ħ
£.	, Z		1	
46.6				i
:			i	
	3761			
:	X MIX		i	
3	2			
Δ.				
			100	7
-		:	KSI	S
42.8	3			.1
42.8	9 - 19	i	-	ı
	つ劇	İ		
:			[
-	20 1011	Ī		
, i				
13.9	. ≤		ļ	-
	Z		}	EL 4D
	1		E34	₽.
ľ	1	:	4	00
		i	İ	60
ا بــ	. 7 1	- 1	Ţ	
17.7	. ≥:	- 1	ı	
17.7	M	-		

Products manufactured with a T&S11 temper also meet T6 temper requirements.

Yield strength has been determined by the 0.2% offset method

All Mill Finish Alloys produced at Sapa Extrusions comply with 0.4% Maximum Lead per RoHS, with the exception of 6262 elloy

In accordance with EN 10204 Inspection Certificate Type 3.1

Melted in the USA or Other Qualified Countries as Defined by DFARS 225.872.1

Made in USA

ERTHYSSENKRUPP MATERIALSINA XXXIII PENELLIIX AA CEETIFEABOLVIII TEERESIIIS = DART AEROSPACE. S. NART ALLKOPORGIZIOZI

STAINLESS STIBEL ROUND BAR-3041. STAINLESS STIME BEHINDE GRANDE document regoduliscies.
1.00" DIA X 144.0000" FARTINO.

PARTINO.

DARKE NO production du materiel ou les données resultant de

TARGET STATES parundabo BL Y-M-407700-003 28August 28A

and the bearing than

シャイスアクス こうつき

METALLURGICAL TEST REPORT ないとうないといういか

NORTH AMERICAN STAINLESS 1 6870 HIGHWAY 42 EAST GHENT, KY 41045

CUSTOMER: 007205 001 A DIVISION OF THYSSENKRUPP MATERIALS NA. A DIVISION OF THYSSENKRUPP MATERIALS NA. A DIVISION OF THYSSENKRUP MATERIALS NA. Certificate: 847024 1 Mail To:

THYSSENERUPP MATERIALS

NAS Order: PN 0028313 02

REMARKS:

Date: 6/24/2013 Steel: 304/3041

Page: 1

Finish: CD

Corrosion: ASTM A262-10 Frac A/E OK

Your Order: VIM620285

ASNE SA479/10a, ASME SA182/10 CHEM ONLY ASTM A276/10, ASTM A479/11, ASTM A182/10 CHEM ONLY, UNS 30400/30403 EN 10204 3.1, ASEM A484/11 Round Bar, Amealed, Cold Draw PRODUCT DESCRIPTION: MS 5539H, AMS 5647J, AMS QQS-763B, QQS-763F, ASTM F899/11

ASTM A193/10A-ASME SA193/10 CL 1 GR B8

IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION 2011/65/EU.ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MEG COMPLIES W/REQUIREMENTS OF DEAR 252.225-7014A-1 EU DIRECTIVE

SOLUTION ANNEAL TEMP 1900F MIN, ASTM A320/08 CL 1 GR B8

	21-1		Size	Weight		Length Mark	Mark		Pieces Commodity Code	
Product Id	SKIC	SKIC # Diemosoo					3	4		
BF4595 9		1.0000	,	1, 199	99	1.64	T##-00			
							•			
	SISATER	CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan	Melt) ES(S	ipain) US(U	nited States)	ZA(South Afric	ca) JP(Japaı	چ	Chemical Analysis per ASTM A751/0	is per ASTM A
					,	5	2 %	% IK	gp fd	
HEAT	<u>ရ</u>	CO %	CR %	2	P. MTd			0 0446	ULEO	
емтн	US .0224	.1625 18.0290		.4275	1.3370	3265	7180	0.0440	. 6016	
	On S ^p	SI %								
	.0265	. 2840								

Ć

MECHANICAL ш ROPERTIE

Product Id 0 1 HB .2	KSI KSI	Elng % 4D
BF4595 9 R L 218.00 7	R L 218.00 76.80 101.58 70.77 44.55	.77 44.55

Doc No. 162086 Indexed 85min by vsksmp4

eat he reproduced, except in its entirety, without the written approval of NAS The transference of the second

TO THE PERSON NAMED IN COLUMN



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO21071

Purchase Order Date 8/26/2013 PO Print Date 8/26/2013

Page Number 1 of 2

Order From:

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8 CA

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

905 669 9444

Yours ppd

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Ship Via: Ship Acct:

ine	Reference
lbr	Vendor Part Number
	Line Comments
	Delivery Comments
	and and A. M. Added (A) (MARCHES) is a survey property per property on death of the Control of t

Description/ Mfg ID

Req Date/ CD Taxable **Promise Date**

Req Qty/ Unit of Measure

PO Unit Price

Extended

Price

M6061T6B1.500X02.000

6061-T6 Bar 1.50 x 2.00

8/29/2013

Yes

36.00

\$7.06

\$254.00

8/29/2013

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER OO-A-225/8 OR AMS-OO-A-225/8 OR AMS 4117/4128/4115/4116

OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

Line Total:

\$254.00

M6061T6R0.625

6061-T6 Round Bar .625"

8/29/2013

108.00

\$0.77

Yes

\$83.16

8/29/2013

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116

OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

\$83.16

PO Instructions: NO: PEC ST-598349

NO: PEC ST-599418

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO21071

Purchase Order Date 8/26/2013 PO Print Date 8/26/2013

Page Number 2 of 2

Order From:

CA

VC-COP001

THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

905 669 9444

Buyer Customer POID Chantal Lavoie

Customer Tax #

10127-2607

Terms Currency Net 30

CAD

Ship Via: Ship Acct: Yours ppd

FOB

FCA - (Free Carrier)

M304R1.000

304 round bar 1.00

8/29/2013

\$5.33

\$128.00

8/29/2013 MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

NOTE: AISI 303 NOT ACCEPTABLE

Line Total:

\$128.00

PO Total:

\$465.16

Change Nbr:

PO Instructions: NO: PEC ST-598349

NO: PEC ST-599418

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required / YES

PST# 6122-5207

Change Date:

8/26/2013